



The Texas A&M University System

ORGANIZATION		DEPARTMENT	
Organization	AM01 - System Offices	Department	01FAPC
Address	301 Tarrow Drive College Station, TX 77843	Bill-to-Address	*****ATTENTION***** ****DO NOT MAIL INVOICE ***** *****ALL BILLS BY EMAIL ***** College Station, TX 77840
Purchaser	Patty Allison	Ship-to-Address	TAMU - 02-3210 474 Agronomy Road College Station, TX 77840
Info Contact	Patty Allison - 979-458-6088		

BID INFORMATION			
Description	2-3210 - PDU's and Server Cabinets for Data Center		
Bulletin Desc.	The Texas A&M University System (A&M System) on behalf of Facilities Planning & Construction is seeking proposals for IT power distribution units and server cabinets for populating the TAMU IT Data Center currently under construction on the campus of Texas A&M University (TAMU) in College Station, Texas. Bids must be submitted electronically via BuyA&M.		
Bid Number	AM01-17-B001031	Bid Opening Date	08/11/2017 2:00 PM
Bid Type	Open Market	Type Code	Invitation for Bid
Alternate Id		Fiscal Year	2017
		Available Date	08/03/2017 12:00 PM
Pre-Bid Conference			
Attachments	REVISED - AM01-17-B001031 - PDU AND SERVER CABINET SPECIFICATIONS.pdf TAMU SystemTCs-32.pdf		

AMENDMENTS		
Amendment No.	Amendment Date	Amendment Notes
1	08/04/2017 8:45 AM	<p>Correction to spec on Horizontal PDU. Attaching updated specifications. Item 2 1. Description changed from "Enlogic Model - EN2701 - 1U - Horizontal Power Distribution Unit as specified below and on attached bid specs:</p> <ul style="list-style-type: none"> - Switched, metered, billing grade metering. - Input Voltage: 200-240 VAC, 208v, 20amp, Input plug L6-20 - Phase Type: single phase - 8 - IEC C19 outlets, locking - Input cord lengths and plug colors: <ul style="list-style-type: none"> 20 PDUs with 8 ft. electrical cords (10 PDUs white outlets, 10 PDUs blue outlets) 20 PDUs with 10 ft. electrical cords (10 PDUs white outlets, 10 PDUs blue outlets) 20 PDUs with 12 ft. electrical cords (10 PDUs white outlets, 10 PDUs blue outlets)" to "Enlogic Model - EN2701 - 1U - Horizontal Power Distribution Unit as specified below and on attached bid specs: - Switched, metered, billing grade metering. - Input Voltage: 200-240 VAC, 208v, 20amp, Input plug L6-20 - Phase Type: single phase - 8 - IEC C13 outlets, locking - Input cord lengths and plug colors: <ul style="list-style-type: none"> 20 PDUs with 8 ft. electrical cords (10 PDUs white outlets, 10 PDUs blue outlets) 20 PDUs with 10 ft. electrical cords (10 PDUs white outlets, 10 PDUs blue outlets) 20 PDUs with 12 ft. electrical cords (10 PDUs white outlets, 10 PDUs blue outlets)". Attachment File Changes: Header 1. File 'REVISED - AM01-17-B001031 - PDU AND SERVER CABINET SPECIFICATIONS.pdf': File 'REVISED - AM01-17-B001031 - PDU AND SERVER CABINET SPECIFICATIONS.pdf' added . Enrollment Date Changes:

ITEMS					
Item	Description	Quantity	Unit	Unit Price	Total
4.000	The Texas A&M University System (A&M System) on behalf of Texas A&M IT is seeking proposals for IT power distribution	0.00			



The Texas A&M University System

<u>Item</u>	<u>Description</u>	<u>Quantity</u>	<u>Unit</u>	<u>Unit Price</u>	<u>Total</u>
	units as specified below for populating the new TAMU IT Data Center located on the campus of Texas A&M University (TAMU) in College Station, Texas.				
	<p>This bid is for purchase of the specified equipment only, installation and configuration will be the responsibility of Texas A&M IT. It is the intention of the A&M System to award this bid to one vendor, however, we reserve the right to split the award of this bid to more than one vendor if in the best interest and the best value to the A&M System and TAMU IT.</p> <p>Quote shall include Freight and Delivery. Quote F.O.B. Destination. Delivery note: The facility includes variable height docks and can accommodate 18 wheel tractor-trailer trucks.</p> <p>Please email all bid questions to purchaser: Patty Allison - email: pallison@tamus.edu.</p>				
1.000	<p>Enlogic - Model EN6241 - Vertical Power Distribution Unit as specified below and on attached bid specs:</p> <ul style="list-style-type: none"> - Switched, outlet metered, billing grade metering. - Input Voltage: 200-240 VAC, 208v, 30amp, Input plug L6-30. - Phase Type: single phase. - Total number of outlets: minimum 24. - IEC C13 outlets 20, locking. - IEC C19 outlets 4, locking. - Input cord length 8 ft. - PDU is toolless mounting. - PDUs daisy chained for monitoring. - Network intelligent control module that is hot swappable. - Color coded outlets. - Number of vertical PDUs with white outlets: 76 - Number of vertical PDUs with blue outlets: 76 - PDU chassis color coded capable if requested 	152.00	EA		
2.000	<p>Enlogic Model - EN2701 - 1U - Horizontal Power Distribution Unit as specified below and on attached bid specs:</p> <ul style="list-style-type: none"> - Switched, metered, billing grade metering. - Input Voltage: 200-240 VAC, 208v, 20amp, Input plug L6-20 - Phase Type: single phase - 8 - IEC C13 outlets, locking - Input cord lengths and plug colors: <ul style="list-style-type: none"> 20 PDUs with 8 ft. electrical cords (10 PDUs white outlets, 10 PDUs blue outlets) 20 PDUs with 10 ft. electrical cords (10 PDUs white outlets, 10 PDUs blue outlets) 20 PDUs with 12 ft. electrical cords (10 PDUs white outlets, 10 PDUs blue outlets) 	60.00	EA		
3.000	<p>A-Rack Server Cabinets - Model TSC48U2017 as specified below and on attached bid specs:</p> <ul style="list-style-type: none"> - Dimensions: H - 48u x W - 900mm x D - 1200mm (H - 7'4" x W - 35.4" x D - 48"); - Weight capacity: 1500 kilogram Static load, 1200 kilogram dynamic load; - Color: White; - Number of Us: 48; - Height: 7'4" (height based on 48U rack); - Depth: 48"; - Width: Standard 19" internal with additional 6" cable management on both sides that meets EIA standards; - Cable management: Vertical cable management; - All doors and panels with locks; - Vertical mounting rails with U marked and square mounting holes; - Tool-less mounting rails with adjustable depths compatible for 	36.00	EA		



The Texas A&M University System

<u>Item</u>	<u>Description</u>	<u>Quantity</u>	<u>Unit</u>	<u>Unit Price</u>	<u>Total</u>
	<p>multiple vendor IT equipment compatibility;</p> <ul style="list-style-type: none"> - Top panels must be flexible for adjustable entry into the top panel for network and power cables while limiting heat and dust through the panel. - Top of rack: Solid except for cable entry points at front, rear and sides of tops. - All cable entry points must have brushes for air control. - Standard heavy duty casters, with the leveling legs easily set; - Removable single side doors with lock; - Blanking plates for all U coverage - 1728 (36 racks x 48U) Total U coverage; - Doors: single ventilated doors for front and back that can be switched front and back, left and right - Rear door must open 130 degrees. <p>*** NOTE: Cabinet unit price shall include price for the requested number of blanking plates per rack ***</p>				
5.000	<p>PROPOSAL CONSIDERATIONS: Product documentation for all equipment quoted, to include detailed specifications and images, are required with bid response. All products offered must be exactly as specified to match existing PDU's and Server Cabinets.</p> <p>** If the items quoted leverage master agreements or existing contracts with Texas A&M University and/or the State of Texas - reference to those agreements or contracts must be clearly noted.</p> <p>BID SUBMITTAL REQUIREMENTS: Input unit price in each line item above. Include your company quote detailing specs of each item along with product documentation and images and attach with your bid response.</p> <p>AWARD CRITERIA: The TAMU System will evaluate and make the award to the bid that is determined to be the best value to the state based on the following criteria: pricing, specifications, product documentation submittal, delivery requirements, the extent to which the goods meet our needs; the vendor's past relationship with the TAMU System and other state entities and any other factor the TAMU System deems relevant.</p>	0.00			
6.000	<p>PUBLIC INFORMATION: (a) PROVIDER acknowledges that TAMUS is obligated to strictly comply with the Public Information Act, Chapter 552, Texas Government Code, in responding to any request for public information pertaining to this Solicitation, as well as any other disclosure of information required by applicable Texas law. (b) Upon a TAMUS written request, PROVIDER will provide specified public information exchanged or created under this Solicitation that is not otherwise excepted from disclosure under chapter 552, Texas Government Code, to TAMUS in a non-proprietary format acceptable to TAMUS. As used in this provision, public information has the meaning assigned Section 552.002, Texas Government Code, but only includes information to which TAMUS has a right of access. (c) PROVIDER acknowledges that TAMUS may be required to post a copy of the fully executed Agreement on its Internet website in compliance with Section 2261.253(a)(1), Texas Government Code.</p>	0.00			